



EUX OKOVI

Katalog proizvoda

EUX ACCESSORIES

Product Catalogue

EUX



Od početka proizvodnje do danas Euro Tim sustavno razvija proizvodnju EUX okova za aluminijске grilje. Najznačajniji proizvodi su mehanizam za pokretanje lamela, rolice i mehanizam s integriranim polugom za pokretanje lamela. Navedeni elementi se mogu ugrađivati u različite vrste alu, PVC i drvenih profila sa žlijebom 24-25mm i 35-36mm. Svi EUX proizvodi podložni su kontroli te prema normi za EU standarde EN 13659 posjeduju oznaku CE. Dugogodišnja usmjerenost ka proizvodnji kvalitetnih EUX okova te ispunjavanju želja i potreba kupaca osigurala su Euro Tim-u visoku poziciju kao proizvođača okova za aluminijске grilje u regiji.

Cjelokupna proizvodnja organizirana je u skladu s ISO standardima pri čemu se ispunjavaju najstroži zahtjevi za postizanje visoke kvalitete. Razvojni planovi usmjereni su prema snažnoj izvoznoj orientaciji uz naglasak na jačanju pozicije na tržištima regije, gdje Euro Tim posluje. Visoka očekivanja pri ostvarenju postavljenog cilja temelje se na bogatom iskustvu i motiviranim ljudskim potencijalima, kreativno usmjerenim na razvoj društva. Tvrтka razvija poslovanje uz primjenu etičkih načela i odgovornog odnosa prema sredinama u kojima posluje.

Since its very start until today, Euro Tim has been systematically developing the production of EUX accessories for aluminum shutters. Its most significant products include the blade adjustment mechanism, handles and the blade adjustment mechanism with an integrated lever. These elements can be installed in various aluminum, PVC and wooden profiles with 24-25mm and 35-36 mm grooves. All EUX products undergo control according to the EN 13659 EU standard. They have all been CE certified. The long-lasting focus on the production of quality EUX products and satisfying customer needs and requirements has ranked Euro Tim high among regional manufacturers of accessories for aluminum shutters.

The entire production has been organized according to ISO standards by meeting the strictest high quality requirements. Development plans are focused on strong export emphasizing the strengthening of its position on regional markets of the company business interest. High expectations of achieving the set goal are based on rich experience and motivated staff, creatively focusing on the company development. The company develops its operations by applying principles of ethics and a responsible attitude towards environments of its operations.





EUX 1

EUX 1 mehanizam namijenjen je lameli sa korakom 54 mm na koji se mogu ugraditi različite vrste ručica i poluga za pokretanje mehanizma. Širine žlijeba od 24-25mm i 35-36mm omogućuju ugradnju mehanizma na različite serije aluminijskih, PVC i drvenih profila. Testiranja provedena na uzorcima dokazuju da naši proizvodi zadovoljavaju najstrože europske norme te posjeduju CE oznaku.

EUX 1 mechanism is the series of accessories for 54 mm wheel based adjustable blades on which different types of handles and levers can be installed. They can be installed on aluminum, PVC and wood shutters. There are many applications for a large series of shutters with a 24-25 mm and a 35-36 mm groove width. Sample testing ensures meeting the maximum level of performance prescribed by the European CE mark standards.

Boje | Colors




Lagerske boje: crna, bijela, smeđa i zelena
Available finishes: black, white, brown and green




Sve ostale RAL boje po narudžbi!
All other RAL colors upon request!

EUX 1 35mm



Za širinu žlijeba od 35-36mm |
For 35-36mm wide grooves

Broj lamela na mehanizmu
dužine 5m: 90L
Number of blades on the 5m
long mechanism: 90L



Za širinu žlijeba od 24-25mm |
For 24-25mm wide grooves


Broj lamela na mehanizmu
dužine 5m: 90L
Number of blades on the 5m
long mechanism: 90L

Rezna lista | Cutting list | EUX I

ŠIFRA CODE	BROJ LAMELA NUMBER OF BLADES	VISINA-DUŽINA MEHANIZMA U MM MECHANISM HEIGHT- LENGTH IN MM	ŽLIJEB GROOVE
EUX I 25/35 7L	7	470	24 25 35 36
EUX I 25/35 8L	8	525	24 25 35 36
EUX I 25/35 9L	9	580	24 25 35 36
EUX I 25/35 10L	10	635	24 25 35 36
EUX I 25/35 11L	11	690	24 25 35 36
EUX I 25/35 12L	12	745	24 25 35 36
EUX I 25/35 13L	13	800	24 25 35 36
EUX I 25/35 14L	14	855	24 25 35 36
EUX I 25/35 15L	15	910	24 25 35 36
EUX I 25/35 16L	16	965	24 25 35 36
EUX I 25/35 17L	17	1020	24 25 35 36
EUX I 25/35 18L	18	1075	24 25 35 36
EUX I 25/35 19L	19	1130	24 25 35 36
EUX I 25/35 20L	20	1185	24 25 35 36
EUX I 25/35 21L	21	1240	24 25 35 36
EUX I 25/35 22L	22	1295	24 25 35 36
EUX I 25/35 23L	23	1350	24 25 35 36
EUX I 25/35 24L	24	1405	24 25 35 36
EUX I 25/35 25L	25	1460	24 25 35 36
EUX I 25/35 26L	26	1515	24 25 35 36
EUX I 25/35 27L	27	1570	24 25 35 36
EUX I 25/35 28L	28	1625	24 25 35 36
EUX I 25/35 29L	29	1680	24 25 35 36
EUX I 25/35 30L	30	1735	24 25 35 36
EUX I 25/35 31L	31	1790	24 25 35 36
EUX I 25/35 32L	32	1845	24 25 35 36
EUX I 25/35 33L	33	1900	24 25 35 36
EUX I 25/35 2,5M	2,5m		24 25 35 36

EUX I 35 / ŠIRINA ŽLIJEBA 35-36MM
EUX I 25 / ŠIRINA ŽLIJEBA 24-25MM

EUX I 35 / 35 TO 36MM GROOVE
EUX I 25 / 24 TO 25MM GROOVE



Vrste kompenzatora za EUX 1

Compensator types for EUX 1

TIP 1

Univerzalni kompenzator. Fiksira se vijkom na mehanizam na mjesto prve i zadnje lamele. Kod mehanizama na mjeru kompenzator je već ugrađen.

TYPE 1

Universal compensator. It is fixed with a screw to the mechanism, on the first and last blade. The compensator has already been installed on custom made mechanisms.



TIP 2

Za širinu žlijeba 24-25mm, 35-36mm. Nastavlja se na dužinu mehanizma.

TYPE 2

For 24-25mm and 35-36mm wide grooves. In continuation of the mechanism.



*Na bijelim mehanizmima postoji mogućnost prolaska svjetla.
*White mechanisms may allow the passage of light.



EUX 2

EUX 2 mehanizam namijenjen je lameli sa korakom 55 mm na koji se mogu ugraditi različite vrste ručica i poluga za pokretanje mehanizma. Dizajn maksimalno dolazi do izražaja u kombinaciji sa zaobljenim profilima. Širine žlijeba od 24-25mm i 35-36mm omogućuju ugradnju mehanizma na različite serije aluminijskih, PVC i drvenih profila. Testiranja provedena na uzorcima dokazuju da naši proizvodi zadovoljavaju najstrože europske norme te posjeduju CE oznaku.

EUX 2 mechanism is the series of accessories for 55mm wheel based adjustable blades on which various types of handles and mechanism levers can be installed. Its design is maximally represented in combination with rounded profiles. The 24-25 mm ad 35-36 mm wide grooves enable the installation of the mechanism on various series of aluminum, PVC and wooden profiles. Sample testing ensures meeting the maximum level of performance prescribed by the European CE mark standards.

Boje | Colors




Lagerske boje: crna, bijela, smeđa i zelena
Available finishes: black, white, brown and green




Sve ostale RAL boje po narudžbi!
All other RAL colors upon request!

EUX 2 35mm



Za širinu žlijeba od 35-36mm |
For 35-36mm wide grooves

Broj lamela na mehanizmu
dužine 5m: 90L
Number of blades on the 5m
long mechanism: 90L



Za širinu žlijeba od 24-25mm |
For 24-25mm wide grooves

Broj lamela na mehanizmu
dužine 5m: 90L
Number of blades on the 5m
long mechanism: 90L


Rezna lista | Cutting list | EUX 2

ŠIFRA CODE	BROJ LAMELA NUMBER OF BLADES	VISINA-DUŽINA MEHANIZMA U MM MECHANISM HEIGHT- LENGTH IN MM	ŽLIJEB GROOVE
EUX 2 25/35 7L	7	499	24 25 35 36
EUX 2 25/35 8L	8	554	24 25 35 36
EUX 2 25/35 9L	9	609	24 25 35 36
EUX 2 25/35 10L	10	664	24 25 35 36
EUX 2 25/35 11L	11	719	24 25 35 36
EUX 2 25/35 12L	12	774	24 25 35 36
EUX 2 25/35 13L	13	829	24 25 35 36
EUX 2 25/35 14L	14	884	24 25 35 36
EUX 2 25/35 15L	15	939	24 25 35 36
EUX 2 25/35 16L	16	994	24 25 35 36
EUX 2 25/35 17L	17	1049	24 25 35 36
EUX 2 25/35 18L	18	1104	24 25 35 36
EUX 2 25/35 19L	19	1150	24 25 35 36
EUX 2 25/35 20L	20	1214	24 25 35 36
EUX 2 25/35 21L	21	1269	24 25 35 36
EUX 2 25/35 22L	22	1324	24 25 35 36
EUX 2 25/35 23L	23	1379	24 25 35 36
EUX 2 25/35 24L	24	1434	24 25 35 36
EUX 2 25/35 25L	25	1489	24 25 35 36
EUX 2 25/35 26L	26	1544	24 25 35 36
EUX 2 25/35 27L	27	1599	24 25 35 36
EUX 2 25/35 28L	28	1654	24 25 35 36
EUX 2 25/35 29L	29	1709	24 25 35 36
EUX 2 25/35 30L	30	1764	24 25 35 36
EUX 2 25/35 31L	31	1819	24 25 35 36
EUX 2 25/35 32L	32	1874	24 25 35 36
EUX 2 25/35 33L	33	1929	24 25 35 36
EUX 2 25/35 2,5M	2,5m		24 25 35 36

EUX 2 35 / ŠIRINA ŽLIJEBA 35-36MM
EUX 2 25 / ŠIRINA ŽLIJEBA 24-25MM

EUX 2 35 / 35-36MM GROOVES
EUX 2 25 / 24-25MM GROOVES

Vrste kompenzatora za EUX 2 Compensator types for EUX 2



TIP 3

Univerzalni kompenzator.
Fiksira se vijkom na
mekhanizam na mjesto
prve i zadnje lamele. Kod
mekhanizama na mjeru
kompenzator je već ugrađen.

TYPE 3

Universal compensator.
Fixed with a screw to the
mechanism, on the first and
last blade. The compensator
has already been installed on
custom-made mechanisms.

TIP 4

Za širinu žlijeba 24-25mm, 35-36mm.
Nastavlja se na dužinu mehanizma.

TYPE 4


For 24-25mm and 35-36mm wide
grooves. In continuation of the
mechanism.

TIP 5

Za širinu žlijeba 24-25mm.
Fiksira se vijkom na mehanizam
na mjesto jedne lamele.
Kod mehanizama na mjeru
kompenzator je već montiran
na mehanizmu.

TYPE 5

For 24-25mm wide grooves.
Fixed to the mechanism with
a screw in place of one blade.
The compensator has already
been installed on custom-made
mechanisms.



*Na bijelim mehanizmima postoji mogućnost prolaska svjetla.

*White mechanisms may allow the passage of light.



EUX 3


EUX 3 mehanizam namijenjen je lameli sa korakom 60 mm na koji se mogu ugraditi različite vrste ručica i poluga za pokretanje mehanizma. Širine žlijeba od 24-25mm i 35-36mm omogućuju ugradnju mehanizma na različite serije aluminijskih, PVC i drvenih profila. Testiranja provedena na uzorcima dokazuju da naši proizvodi zadovoljavaju najstrože europske norme te posjeduju CE oznaku.

EUX 3 mechanism is the series of accessories for 60 mm wheel based adjustable blades on which various types of handles and mechanism levers can be installed. The 24-25mm and 35-36mm wide grooves enable the installation of the mechanism on various series of aluminum, PVC and wooden profiles. Sample testing ensures meeting the maximum level of performance prescribed by the European CE mark standards.

Boje | Colors




Lagerske boje: crna, bijela, smeđa i zelena
Available finishes: black, white, brown and green



Sve ostale RAL boje po narudžbi!
All other RAL colors upon request!


EUX 3 35mm



Za širinu žlijeba od 35-36mm |
For 35-36mm wide grooves


Broj lamela na mehanizmu
dužine 5m: 83L
Number of blades on the 5m
long mechanism: 83L

EUX 3 25mm



Za širinu žlijeba od 24-25mm |
For 24-25mm wide grooves

Broj lamela na mehanizmu
dužine 5m: 83L
Number of blades on the 5m
long mechanism: 83L



EUX 2


S POLUGOM | WITH LEVER

EUX 2 mehanizam sa ugrađenom polugom namijenjen je lameli sa korakom 55 mm. Širina žlijeba 24-25mm i 35-36mm omogućuje ugradnju mehanizma na različite serije aluminijskih, PVC i drvenih profila. Mehanizam sa polugom idealno je rješenje za harmo i klizne grilje, te grilje bez okvira koje se ugraduju direktno na okvir prozora. Isporučuje se izrezan na odgovarajuću dužinu sa ugrađenom polugom i završnim kompenzatorima. Testiranja provedena na uzorcima dokazuju da naši proizvodi zadovoljavaju najstrože europske norme te posjeduju CE oznaku.

EUX 2 mechanism with lever is the series of accessories for 55mm wheel based adjustable blades. The groove width of 24-25mm and 35-36mm enables the installation of the mechanism on various series of aluminum, PVC and wooden profiles. The lever mechanism is an ideal solution for folding and sliding shutters as well as for frameless shutters installed directly to a window frame. It is delivered being cut to the adequate length and having the lever and final compensators installed.

Sample testing ensures meeting the maximum level of performance prescribed by the European CE mark standards.

Boje | Colors




Lagerske boje: crna, bijela, smeđa i zelena
Available finishes: black, white, brown and green



Sve ostale RAL boje po narudžbi!
All other RAL colors upon request!

EUX 2 35mm s polugom | with lever



Za širinu žlijeba od 35-36mm |
For 35-36mm wide grooves

Broj lamela po narudžbi, rezani na odgovarajuću dužinu sa ugrađenim kompenzatorima.
The number of blades on request, cut to appropriate length with installed compensators.

EUX 2 25mm s polugom | with lever



Za širinu žlijeba od 24-25mm |
For 24-25mm wide grooves

Broj lamela po narudžbi, rezani na odgovarajuću dužinu sa ugrađenim kompenzatorima.
The number of blades on request, cut to appropriate length with installed compensators.



EUX 1 WOOD


EUX 1 WOOD mehanizam namijenjen je lameli sa korakom 54 mm na koji se mogu ugraditi različite vrste ručica i poluga za pokretanje mehanizma. Širine žlijeba od 24-25mm i 35-36mm omogućuju ugradnju mehanizma na različite serije drvenih profila. Testiranja provedena na uzorcima dokazuju da naši proizvodi zadovoljavaju najstrože europske norme te posjeduju CE oznaku.

EUX 1 WOOD mechanism is the series of accessories for 55 mm wheel based adjustable blades on which various types of handles and mechanism levers can be installed. The groove width of 24-25m and 35-36mm enable the installation of the mechanism on various types of wood profiles. Sample testing ensures meeting the maximum level of performance prescribed by the European CE mark standards.

Boje | Colors




Lagerske boje: crna, bijela, smeđa i zelena
Available finishes: black, white, brown and green



Sve ostale RAL boje po narudžbi!
All other RAL colors upon request!


EUX 1 WOOD 35mm



Za širinu žlijeba od 35-36mm |
For 35-36mm wide grooves

Broj lamela na mehanizmu
dužine 5m: 90L
Number of blades on the 5m
long mechanism: 90L

EUX 1 WOOD 25mm



Za širinu žlijeba od 24-25mm |
For 24-25mm wide grooves

Broj lamela na mehanizmu
dužine 5m: 90L
Number of blades on the 5m
long mechanism: 90L


Rezna lista | Cutting list | EUX I WOOD

ŠIFRA CODE	BROJ LAMELA NUMBER OF BLADES	VISINA-DUŽINA MEHANIZMA U MM MECHANISM HEIGHT- LENGTH IN MM	ŽLIJEB GROOVE			
EUX I WOOD 25/35 7L	7	470	24	25	35	36
EUX I WOOD 25/35 8L	8	525	24	25	35	36
EUX I WOOD 25/35 9L	9	580	24	25	35	36
EUX I WOOD 25/35 10L	10	635	24	25	35	36
EUX I WOOD 25/35 11L	11	690	24	25	35	36
EUX I WOOD 25/35 12L	12	745	24	25	35	36
EUX I WOOD 25/35 13L	13	800	24	25	35	36
EUX I WOOD 25/35 14L	14	855	24	25	35	36
EUX I WOOD 25/35 15L	15	910	24	25	35	36
EUX I WOOD 25/35 16L	16	965	24	25	35	36
EUX I WOOD 25/35 17L	17	1020	24	25	35	36
EUX I WOOD 25/35 18L	18	1075	24	25	35	36
EUX I WOOD 25/35 19L	19	1130	24	25	35	36
EUX I WOOD 25/35 20L	20	1185	24	25	35	36
EUX I WOOD 25/35 21L	21	1240	24	25	35	36
EUX I WOOD 25/35 22L	22	1295	24	25	35	36
EUX I WOOD 25/35 23L	23	1350	24	25	35	36
EUX I WOOD 25/35 24L	24	1405	24	25	35	36
EUX I WOOD 25/35 25L	25	1460	24	25	35	36
EUX I WOOD 25/35 26L	26	1515	24	25	35	36
EUX I WOOD 25/35 27L	27	1570	24	25	35	36
EUX I WOOD 25/35 28L	28	1625	24	25	35	36
EUX I WOOD 25/35 29L	29	1680	24	25	35	36
EUX I WOOD 25/35 30L	30	1735	24	25	35	36
EUX I WOOD 25/35 31L	31	1790	24	25	35	36
EUX I WOOD 25/35 32L	32	1845	24	25	35	36
EUX I WOOD 25/35 33L	33	1900	24	25	35	36
EUX I WOOD 25/35 2,5M	2,5m		24	25	35	36

EUX I WOOD 35/ ŠIRINA ŽLIJEBA 35-36MM
EUX I WOOD 25/ ŠIRINA ŽLIJEBA 24-25MM

EUX I WOOD 35/ 35-36MM GROOVES
EUX I WOOD 25/ 24-25MM GROOVES

*Na bijelim mehanizmima postoji mogućnost prolaska svjetla.
*White mechanisms allow the passage of light.



Vrste kompenzatora za EUX 1 WOOD

Compensator types for EUX 1 WOOD

TIP 8


Za širinu žlijeba 24-25mm.
Nastavlja se na dužinu mehanizma.

EUX I WOOD
Korak lamela: 55mm

TYPE 8
For 24-25mm wide grooves.
In continuation of the mechanism.

EUX I WOOD
Wheel-based blades: 55mm





EUX 2 ALUMIL

EUX 2 Alumil mehanizam namijenjen je lameli sa korakom 55 mm na koji se mogu ugraditi različite vrste ručica i poluga za pokretanje mehanizma. Širine žlijeba od 24-25mm i 35-36mm omogućuju ugradnju mehanizma na različite serije aluminijskih, PVC i drvenih profila.

Testiranja provedena na uzorcima dokazuju da naši proizvodi zadovoljavaju najstrože europske norme te posjeduju CE oznaku.

EUX 2 Alumil mechanism is the series of accessories for 55mm wheel based adjustable blades on which various types of handles and mechanism levers can be installed. The groove width of 24-25mm and 35-36mm enable the installation of mechanisms on various aluminum, PVC and wooden profile series.

Sample testing ensures meeting the maximum level of performance prescribed by the European CE.

Boje | Colors




Lagerske boje: crna, bijela, smeđa i zelena
Available finishes: black, white, brown and green



Sve ostale RAL boje po narudžbi!
All other RAL colors upon request!


EUX 2 Alumil 35mm



Za širinu žlijeba od 35-36mm |
For 35-36mm wide grooves

Broj lamela na mehanizmu
dužine 5m: 90L
Number of blades on the 5m
long mechanism: 90L

EUX 2 Alumil 25mm



Za širinu žlijeba od 24-25mm |
For 24-25mm wide grooves


Broj lamela na mehanizmu
dužine 5m: 90L
Number of blades on the 5m
long mechanism: 90L

Rezna lista | Cutting list | EUX 2 ALUMIL

ŠIFRA CODE	BROJ LAMELA NUMBER OF BLADES	VISINA-DUŽINA MEHANIZMA U MM MECHANISM HEIGHT-LENGTH IN MM	ŽLIJEB GROOVE
EUX 2 ALUMIL 25/35 7L	7	499	24 25 35 36
EUX 2 ALUMIL 25/35 8L	8	554	24 25 35 36
EUX 2 ALUMIL 25/35 9L	9	609	24 25 35 36
EUX 2 ALUMIL 25/35 10L	10	664	24 25 35 36
EUX 2 ALUMIL 25/35 11L	11	719	24 25 35 36
EUX 2 ALUMIL 25/35 12L	12	774	24 25 35 36
EUX 2 ALUMIL 25/35 13L	13	829	24 25 35 36
EUX 2 ALUMIL 25/35 14L	14	884	24 25 35 36
EUX 2 ALUMIL 25/35 15L	15	939	24 25 35 36
EUX 2 ALUMIL 25/35 16L	16	994	24 25 35 36
EUX 2 ALUMIL 25/35 17L	17	1049	24 25 35 36
EUX 2 ALUMIL 25/35 18L	18	1104	24 25 35 36
EUX 2 ALUMIL 25/35 19L	19	1150	24 25 35 36
EUX 2 ALUMIL 25/35 20L	20	1214	24 25 35 36
EUX 2 ALUMIL 25/35 21L	21	1269	24 25 35 36
EUX 2 ALUMIL 25/35 22L	22	1324	24 25 35 36
EUX 2 ALUMIL 25/35 23L	23	1379	24 25 35 36
EUX 2 ALUMIL 25/35 24L	24	1434	24 25 35 36
EUX 2 ALUMIL 25/35 25L	25	1489	24 25 35 36
EUX 2 ALUMIL 25/35 26L	26	1544	24 25 35 36
EUX 2 ALUMIL 25/35 27L	27	1599	24 25 35 36
EUX 2 ALUMIL 25/35 28L	28	1654	24 25 35 36
EUX 2 ALUMIL 25/35 29L	29	1709	24 25 35 36
EUX 2 ALUMIL 25/35 30L	30	1764	24 25 35 36
EUX 2 ALUMIL 25/35 31L	31	1819	24 25 35 36
EUX 2 ALUMIL 25/35 32L	32	1874	24 25 35 36
EUX 2 ALUMIL 25/35 33L	33	1929	24 25 35 36
EUX 2C ALUMIL 25/35 2,5M	2,5m	24 25 35 36	

EUX 2 ALUMIL 35 / ŠIRINA ŽLIJEBA 35-36MM
EUX 2 ALUMIL 25 / ŠIRINA ŽLIJEBA 24-25MM

EUX 2 ALUMIL 35 / 35-36MM GROOVES
EUX 2 ALUMIL 25 / 24-25MM GROOVES



Vrste kompenzatora za EUX 2 ALUMIL

Compensator types for EUX 2 ALUMIL

TIP 9

Univerzalni kompenzator. Fiksira se vijkom na mehanizam na mjesto prve i zadnje lamele. Kod mehanizama na mjeru kompenzator je već ugrađen.

TYPE 9

Universal compensator. Fixed to the mechanism by means of a screw, to the first and last blade. The compensator has already been installed on custom-made mechanisms.



*Na bijelim mehanizmima postoji mogućnost prolaska svjetla.
*White mechanisms allow the passage of light.




EUX FIX_OV

EUX nosač fiksne lamele prilagođen je ovalnoj lameli 10x50. Korak lamele može iznositi od 35mm do 45mm. Širina žlijeba 35-36mm omogućuje ugradnju mehanizma na različite serije aluminijskih, PVC i drvenih profila. Nosač za fiksnu lamelu idealno je rješenje za harmonične i klizne grilje, te grilje bez okvira koje se ugrađuju direktno na okvir prozora. Na nosaču ugrađuju se plastični odstojnici kako bi sprječili pomicanje lamele. Testiranja provedena na uzorcima dokazuju da naši proizvodi zadovoljavaju najstrože europske norme te posjeduju CE oznaku.

EUX fixed blades girders are adapted to the oval blade 10x50. The wheel based adjustable blades may be from 35 mm to 45 mm. The groove width of 35-36 mm enables to be installed on different aluminum, PVC and wooden shutters. Fixed blades girders are an ideal solution for roller and sliding shutters without frames which are directly installed on the window frame. Plastic spacers are installed on the girder to prevent blades from moving. Sample testing has proved that our products comply with the high European standards and own the CE mark.

Boje | Colors




Lagerske boje: crna, bijela, smeđa i zelena
Available finishes: black, white, brown and green



Sve ostale RAL boje po narudžbi!
All other RAL colors upon request!

EUX FIX_OV 35mm



Za širinu žlijeba od 35-36mm |
For 35-36mm wide grooves

Broj lamele na mehanizmu
dužine 5m: 142 - 104
Number of blades on the 5m
long mechanism: 142 - 104



EUX rolice | EUX handles




EUX rolica polužna 35mm

Boja: ● - šifra: EUX RPC 35mm ● - šifra: EUX RPZ 35mm
 ○ - šifra: EUX RPB 35mm ○ - šifra: EUX RPZ 35mm
 ■ - šifra: EUX RPS 35mm ■ - šifra: EUX RPS 35mm

EUX handle with lever 35mm

Color: ● - art. EUX RPC 35mm ● - art. EUX RPZ 35mm
 ○ - art. EUX RPB 35mm ○ - art. EUX RPZ 35mm
 ■ - art. EUX RPS 35mm ■ - art. EUX RPS 35mm




20 komada | 20 pieces



EUX rolica polužna 25mm

Boja: ● - šifra: EUX RPC 25mm ● - šifra: EUX RPZ 25mm
 ○ - šifra: EUX RPB 25mm ○ - šifra: EUX RPZ 25mm
 ■ - šifra: EUX RPS 25mm ■ - šifra: EUX RPS 25mm



20 komada | 20 pieces

EUX handle with lever 25mm


Color: ● - art. EUX RPC 25mm ● - art. EUX RPZ 25mm
 ○ - art. EUX RPB 25mm ○ - art. EUX RPZ 25mm
 ■ - art. EUX RPS 25mm ■ - art. EUX RPS 25mm

EUX rolice | EUX handles



EUX rolica pomo 35mm

Boja: ● - šifra: EUX RC 35mm ● - šifra: EUX RZ 35mm
 ○ - šifra: EUX RB 35mm ● - šifra: EUX RS 35mm



EUX handle pomo 35mm


Color: ● - art. EUX RC 35mm ● - art. EUX RZ 35mm
 ○ - art. EUX RB 35mm ● - art. EUX RS 35mm

20 komada | 20 pieces



EUX rolica pomo 25mm

Boja: ● - šifra: EUX RC 25mm ● - šifra: EUX RZ 25mm
 ○ - šifra: EUX RB 25mm ● - šifra: EUX RS 25mm



EUX handle pomo 25mm

Color: ● - art. EUX RC 25mm ● - art. EUX RZ 25mm
 ○ - art. EUX RB 25mm ● - art. EUX RS 25mm


20 komada | 20 pieces

EUX rolice | EUX handles



EUX rolica plitka 35mm

Boja: ● - šifra: EUX RC_PL 35mm ● - šifra: EUX RZ_PL 35mm
 ○ - šifra: EUX RB_PL 35mm ● - šifra: EUX RS_PL 35mm



EUX handle pomo-low 35mm


Color: ● - art. EUX RC_PL 35mm ● - art. EUX RZ_PL 35mm
 ○ - art. EUX RB_PL 35mm ● - art. EUX RS_PL 35mm

20 komada | 20 pieces



EUX rolica plitka 25mm

Boja: ● - šifra: EUX RC_PL 25mm ● - šifra: EUX RZ_PL 25mm
 ○ - šifra: EUX RB_PL 25mm ● - šifra: EUX RS_PL 25mm



EUX handle pomo-low 25mm

Color: ● - art. EUX RC_PL 25mm ● - art. EUX RZ_PL 25mm
 ○ - art. EUX RB_PL 25mm ● - art. EUX RS_PL 25mm

20 komada | 20 pieces



EUX poluge | EUX levers

Montirajuća poluga EUX 1 (SX/DX)

Za lamelu SP 54, dužine 60 mm / Materijal: poliamid

Mounting lever EUX 1 (SX/DX)

For adjustable blades SP 54, 60mm long / Material: polyamide

20 komada | 20 pieces



Boje | Colors:

- | | |
|----------------------------|----------------------------|
| ● - šifra art. EUX MPC 1 | ● - šifra art. EUX MPZ 1 |
| ○ - šifra art. EUX MPB 1 | ○ - šifra art. EUX MPS 1 |

Montirajuća poluga EUX 2 (SX/DX)

Za lamelu UN 55 , dužine 66 mm / Materijal: poliamid

Mounting lever EUX 2 (SX/DX)

For adjustable blades UN 55 , 66mm long / Material: polyamide

20 komada | 20 pieces



Boje | Colors:

- | | |
|----------------------------|----------------------------|
| ● - šifra art. EUX MPC 2 | ● - šifra art. EUX MPZ 2 |
| ○ - šifra art. EUX MPB 2 | ○ - šifra art. EUX MPS 2 |

Montirajuća poluga EUX 3 (SX/DX)

Za lamelu PE 70, dužine 70 mm / Materijal: poliamid

Mounting lever EUX 3 (SX/DX)

For adjustable blades PE 70, 70 mm long / Material: polyamide

20 komada | 20 pieces



Boje | Colors:

- | | |
|----------------------------|----------------------------|
| ● - šifra art. EUX MPC 3 | ● - šifra art. EUX MPZ 3 |
| ○ - šifra art. EUX MPB 3 | ○ - šifra art. EUX MPS 3 |

Univerzalna nadgradna ručica (SX/DX)

Za sve tipove lamela

Chuck handle (SX/DX)


For all blade types

20 komada | 20 pieces




Boje | Colors:

- | | |
|---------------------------|---------------------------|
| ● - šifra art. EUX UNRC | ● - šifra art. EUX UNRZ |
| ○ - šifra art. EUX UNRB | ○ - šifra art. EUX UNRS |



Teleskopski kompenzator | Telescopic compensation



Teleskopski kompenzator


Šifra proizvoda: EUX TK 35mm / EUX TK 25mm

Teleskopski kompenzator omogućuje montiranje EUX mehanizma bez dodatne obrade. Trenutno je jedan od najnaprednijih okova koji znatno pojednostavljuje i ubrzava ugradnju EUX mehanizma za grilje.

Telescopic compensation

Art.: EUX TK 25mm / EUX TK 35mm

Telescopic compensation enables the installation of the EUX mechanism without additional processing. It is currently one of the most advanced accessories, to a great extent simplifying and accelerating the installation of the shutter EUX mechanism.



Zasun za grilju / prozor

Šifra proizvoda: 2131H / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: poliamid i pocićani čelik

Bolt for shutter / window

Art.: 2131H / Series profiles: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materials: polyamide and galvanized steel

Boje | Colors: 25 pari | 25 pairs



Zasun za grilju / prozor - plastični

Šifra proizvoda: 2131H PL / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: poliamid

Bolt for shutter / window - plastic

Art.: 2131H PL / Series profiles: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materials: polyamide

Boje | Colors: 25 pari | 25 pairs



Dodatak za astu

Šifra proizvoda: 2141H / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: poliamid i pocićani čelik

Rod-end

Art.: 2141H / Series profiles: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materials: polyamide and galvanized steel

Boje | Colors: 25 pari | 25 pairs



Zasun za prozor o/z

Šifra proizvoda: 4265H / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: poliamid, aluminij i zamak

Bolt for window o/z

Art.: 4265H / Series profiles: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materials: polyamide, aluminium, zamak

25 pari | 25 pairs




Čep za centralni profil 900250

Šifra proizvoda: 2349H / Za seriju profila: R40, DALMO 45 / Materijal: poliamid

Plug for facing profile 900250

Art.: 2349H / Series profiles: R40, DALMO 45 / Materials: polyamide

25 pari | 25 pairs



Dodatak za astu plastični

Šifra proizvoda: 2141H PL / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: poliamid

Rod-end plastic

Art.: 2141H PL / Series profiles: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materials: polyamide

Boje | Colors: 25 pari | 25 pairs



Čep za centralni profil ravní

Šifra proizvoda: 2349H RAV / Za seriju profila: R40, DALMO 45 / Materijal: poliamid



Čep za krilo 900396 - ravní

Šifra proizvoda: 2350H / Za seriju profila: R40, DALMO 45 / Materijal: poliamid

Terminal shutter cap

Art.: 2349H RAV / Series profiles: R40, DALMO 45 / Materials: polyamid

25 pari | 25 pairs

20 komada | 20 pieces



Križna spojnica

Šifra proizvoda: **0486H** / Za seriju profila: R40, DALMO 45 / Materijal: aluminij

„T“ - join and cross join

Art.: **0486H** / For profile series: R40, DALMO 45 / Material: extruded aluminium

100 komada | 100 pieces



Kit za ručku

Šifra proizvoda: **2377H** / Za seriju profila: R40, DALMO 45 / Materijal: poliamid, vide čelik

Kit for handle outside opening

Art.: **2377H** / For profile series: R40, DALMO 45 / Material: polyamide, steel screws

25 pari | 25 pairs




PVCT - spoj za prečku

Šifra proizvoda: **PVCT - SPOJ** / Za seriju profila: R40, DALMO 45 / Materijal: poliamid

PVCT - join for rung

Art.: **PVCT - JOIN** / For profile series: R40, DALMO 45 / Material: polyamide

20 komada | 20 pieces



Alumički kit za ručku

Šifra: **2377H AL AL (12mm)** / Šifra: **2377H AL GS (14mm)** / Za seriju profila: R40, DALMO 45 / Materijal: zamak

Connecting pieces for outward opening

Art.: **2377H AL AL (12mm)** / Art.: **2377H AL GS (14mm)** / For profile series: R40, DALMO 45 / Material: zamak

50 pari | 50 pairs



Prihvati dupli

Šifra proizvoda: **I317H** / Za seriju profila: R40, R50, NEWTEC 40TT, DALMO 45, SLYTEC 67 / Materijal: poliamid, vide čelik

Duble-rod junction

Art.: **I317H** / For profile series: R40, R50, NEWTEC 40TT, DALMO 45, SLYTEC 67 / Material: polyamide, steel screw

100 komada | 100 pieces



Prihvati za bravu

Šifra proizvoda: **2886H** / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67, R60TT / Materijal: poliamid

Nylon striking Plates

Art.: **2886H** / For profile series: R40, R50, R50TT, DALMO 45, NEWTEC 50TT, SLYTEC 67, R60TT / Material: polyamide

25 komada | 25 pieces



Prihvati za bravu (giljotina)

Šifra proizvoda: **2896H** / Za seriju profila: R40, R50, R50TT, DALMO 45, NEWTEC 50TT, SLYTEC 67, R60TT / Materijal: poliamid

Nylon striking Plates

Art.: **2896H** / For profile series: R40, R50, R50TT, DALMO 45, NEWTEC 50TT, SLYTEC 67, R60TT / Material: polyamide

25 komada | 25 pieces



Linearna kutna spojnica

Šifra proizvoda: **2368H** / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: poliamid

Alignment corner join

Art.: **2368H** / For profile series: R40, R50, R50TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Material: polyamide

Boje | Colors:

500 komada | 500 pieces



Linearna kutna spojница

Šifra proizvoda: **2303H** / Za seriju profila: EXPORT 65 ST I 65S / Materijal: poliamid

Alignment corner join

Art.: **2303H** / For profile series: EXPORT 65 ST I 65S / Material: polyamide

500 komada | 500 pieces



Podloška za staklo

Šifra proizvoda: **SP2mm-SP7mm** / Za seriju profila: R40, DALMO 45 / Materijal: polipropilen

Double glazed thickness

Art.: **SP2mm-SP7mm** / For profile series: R40, DALMO 45 / Material: polypropylene

1 kg



Linearna kutna spojница

Šifra proizvoda: **NT01H** / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: poliamid

Alignment corner join

Art.: **NT01H** / For profile series: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Material: polyamide

400 komada | 400 pieces



Kutnik za oblu letvicu stakla

Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: polikarbonat

Rounded angle for glazing bead

For profile series: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Material: polycarbonate

Boje | Colors: Šifra / Art.: **KUT9010H**
 Šifra / Art.: **KUT8017H** Šifra / Art.: **KUT6005H**

500 komada | 500 pieces



Plastika za lamelu ovalinu 10x50 - 9mm

Šifra proizvoda: **OV 9mm** / Za širinu žlijeba od 9mm / Materijal: poliamid

Cap for slat 10x50 - 9mm

Art.: **OV 9mm** / Groove width: 9mm / Material: polyamide

Boje | Colors: 400 pari | 400 pairs



Plastika za ručku

Šifra proizvoda: **2385H** / Za seriju profila: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Materijal: poliamid

Connecting block for handle

Art.: **2385H** / For profile series: R40, R50, R50TT, R60TT, DALMO 45, NEWTEC 50TT, SLYTEC 67 / Material: polyamide

25 pari | 25 pairs



Plastika za lamelu ovalinu 10x50 - 11mm

Šifra proizvoda: **OV 11mm** / Za širinu žlijeba od 11mm / Materijal: poliamid

Cap for slat 10x50 - 11mm

Art.: **OV 11mm** / Groove width: 11mm / Material: polyamide

Boje | Colors: 400 pari | 400 pairs



Plastika za grilju - nosač lamele desni

Šifra proizvoda: **SR100H** / Materijal: polikarbonat

Shutter plastic - right blade holder

Art.: **SR100H** / Material: polycarbonate

140 komada | 140 pieces



Plastika za grilju - nosač lamele lijevi

Šifra proizvoda: **SR101H** / Materijal: polikarbonat

Shutter plastic - left blade holder

Art.: **SR101H** / Material: polycarbonate

140 komada | 140 pieces



Ručica za grilju

Šifra proizvoda: **SR105H** / Materijal: poliamid, čelik

Shutter handle

Art.: **SR105H** / Material: polyamide, steel

25 komada | 25 pieces



Plastika za grilju

Šifra proizvoda: **SR102H** / Materijal: poliamid

Shutter plastic - hollow holder

Art.: **SR102H** / Material: polyamide

280 komada | 280 pieces



Plastika za grilju - fiksna lamela

Šifra proizvoda: **SR108H** / Materijal: poliamid

Shutter plastic - fixed blade

Art.: **SR108H** / Material: polyamide

150 komada | 150 pieces



Plastika za grilju - kompenzator

Šifra proizvoda: **SR103H** / Materijal: poliamid

Shutter plastic - compensator

Art. **SR103H** / Material: polyamide

50 komada | 50 pieces



Plastika za grilju - fiksna lamela

Šifra proizvoda: **SR120H** / Materijal: poliamid

Shutter plastic - fixed blade

Art.: **SR120H** / Material: polyamide

150 komada | 150 pieces



Plastika za grilju - zupčanik

Šifra proizvoda: **SR104H** / Materijal: polikarbonat

Shutter plastic - gear

Art.: **SR104H** / Material: polycarbonate

70 komada | 70 pieces



Plastika za kliznu grilju - fiksna lamela

Šifra proizvoda: **SR120HKL** / Materijal: poliamid

Sliding shutter plastic - fixed blade

Art.: **SR120HKL** / Material: polyamide


150 komada | 150 pieces

Mi u Euro Timu želimo ponuditi svim sadašnjim i budućim partnerima naše iskustvo, želju za suradnjom i uspješnom realizacijom zajedničkih ciljeva. Veličinu poduzeća ne mjerimo samo finansijskim rezultatima, već ostalim vrijednostima kao što su ljudski potencijali i želja za stalnim napredovanjem.

Smatramo da je naš tim dovoljno jak da postane i vaš partner. Obratite nam sa potpunim povjerenjem ako ste i vi željni napredovanja, pa da skupa ostvarujemo zajedničke ciljeve!

We at Euro Tim want to offer our experience, a wish for cooperation and successful achievement of common goals to all our current and future partners. We do not only measure the size of a company by its financial results, but also by other values such as human resources and a wish for permanent advancement.

We believe that our team is strong enough to become your partner as well. Contact us with full confidence if you are among those who desire improvement so we can achieve common goals together!



Euro Tim d.o.o.
Trviž 6a | 52000 Pazin | Croatia
Tel. +385 52 691 350 | Fax. +385 52 691 263
E-mail: eux@eux.com.hr
www.eux.com.hr